



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Reports of States and yearly and monthly reports of cities of the United States.

CALIFORNIA—*Los Angeles*.—Month of January, 1899. Estimated population, 103,000. Total number of deaths, 208, including diphtheria, 2; enteric fever, 8; scarlet fever, 2; whooping cough, 1; influenza, 9; smallpox, 1, and 35 from phthisis pulmonalis.

Oakland.—Month of January, 1899. Estimated population, 75,000. Total number of deaths, 83, including enteric fever, 3, and 8 from phthisis pulmonalis.

Sacramento.—Month of January, 1899. Estimated population, 30,000. Total number of deaths, 62, including enteric fever 3, and 7 from phthisis pulmonalis.

San Francisco—City and county.—Month of December, 1898. Estimated population, 360,000. Total number of deaths, 647, including diphtheria, 10; la grippe, 13; enteric fever, 11; measles, 7; scarlet fever, 2; whooping cough, 5, and 58 from phthisis pulmonalis.

CONNECTICUT.—Reports to the State board of health for the month of January, 1899, from 166 towns having an aggregate population of 888,970, show a total of 1,565 deaths, including diphtheria, 24; enteric fever, 8; measles, 2; scarlet fever, 7; whooping cough, 6; la grippe, 91, and 119 from phthisis pulmonalis.

IOWA—*Davenport*.—Month of January, 1899. Estimated population, 36,000. Total number of deaths, 67, including enteric fever, 1, and 10 from phthisis pulmonalis.

MASSACHUSETTS—*Brockton*.—Month of January, 1899. Estimated population, 37,278. Total number of deaths, 49, including 7 from phthisis pulmonalis.

Fitchburg.—Month of January, 1899. Estimated population, 29,438. Total number of deaths, 45, including whooping cough, 1; influenza, 2, and 4 from phthisis pulmonalis.

Newton.—Month of January, 1899. Estimated population, 27,590. Total number of deaths, 45, including diphtheria, 2; enteric fever, 1; la grippe, 5, and 2 from phthisis pulmonalis.

Worcester.—Month of January, 1899. Estimated population, 108,463. Total number of deaths, 154, including diphtheria, 7; enteric fever, 1; whooping cough, 1; la grippe, 12, and 18 from phthisis pulmonalis.

MICHIGAN.—Reports to the State board of health, Lansing, for the week ended February 4, 1899, from 47 observers, indicate that phthisis pulmonalis and inflammation of kidney increased in area of prevalence. Phthisis pulmonalis was reported present at 100, scarlet fever at 47, enteric fever at 28, diphtheria at 25, measles at 17, whooping cough at 17, and smallpox at 2 places—Detroit and Redford Township.

Reports to the State board of health, Lansing, for the week ended February 11, 1899, from 48 observers, indicate that diarrhea and erysipelas increased in area of prevalence. Phthisis pulmonalis was reported present at 96, scarlet fever at 46, measles at 21, diphtheria at 20, enteric fever at 17, whooping cough at 13, and smallpox at 2 places—Detroit and Redford Township.

Grand Rapids.—Month of January, 1899. Estimated population, 90,000. Total number of deaths, 114, including enteric fever, 2; la grippe, 7, and 6 from phthisis pulmonalis.

MINNESOTA—*Minneapolis.*—Month of January, 1899. Estimated population, 225,602. Total number of deaths, 193, including diphtheria, 5; enteric fever, 3; whooping cough, 2; la grippe, 12, and 22 from phthisis pulmonalis.

NEW HAMPSHIRE—*Manchester.*—Month of January, 1899. Estimated population, 60,000. Total number of deaths, 111, including enteric fever, 2; scarlet fever, 1, and 8 from phthisis pulmonalis.

NEW YORK—*Auburn.*—Month of January, 1899. Estimated population, 30,000. Total number of deaths, 42, including scarlet fever, 1, and 6 from phthisis pulmonalis.

Buffalo.—Month of January, 1899. Estimated population, 370,000. Total number of deaths, 444, including diphtheria, 5; enteric fever, 4; scarlet fever, 1, whooping cough, 3, and 33 from phthisis pulmonalis.

OHIO—*Cleveland.*—Month of January, 1899. Estimated population, 395,000. Total number of deaths, 611, including diphtheria, 15; enteric fever, 11; scarlet fever, 2; influenza, 45, and 24 from phthisis pulmonalis.

Toledo.—Year ended December 31, 1898. Estimated population, 151,520. Total number of deaths, 1,564, including diphtheria, 31; enteric fever, 31; measles, 1; scarlet fever, 5; la grippe, 46; whooping cough, 9, and 137 from phthisis pulmonalis.

Month of January, 1899. Estimated population, 151,520. Total number of deaths, 162, including diphtheria, 10; enteric fever, 3; la grippe, 13; whooping cough, 2, and 10 from phthisis pulmonalis.

OREGON—*Portland.*—Month of January, 1899. Estimated population, 92,413. Total number of deaths, 83, including diphtheria, 1; enteric fever, 2; la grippe, 5; measles, 1, and 12 from phthisis pulmonalis.

PENNSYLVANIA—*Meadville.*—Month of January, 1899. Estimated population, 12,000. Total number of deaths, 22, including whooping cough, 1, and 3 from phthisis pulmonalis.

RHODE ISLAND—*Newport.*—Month of January, 1899. Estimated population, 21,500. Total number of deaths, 45, including enteric fever, 1; la grippe, 7, and 3 from phthisis pulmonalis.

TENNESSEE—*Nashville.*—Month of January, 1899. Estimated population, 87,734; white, 54,595; colored, 33,159. Total number of deaths, 159, including diphtheria, 3; enteric fever, 3; influenza, 13, and 20 from phthisis pulmonalis.

WASHINGTON—*Seattle.*—Month of January, 1899. Estimated population, 75,000. Total number of deaths 58, including diphtheria, 6; enteric fever, 2; measles, 1, and 6 from phthisis pulmonalis.

Tacoma.—Month of January, 1899. Estimated population, 50,000. Total number of deaths, 28, including enteric fever, 2, and 6 from phthisis pulmonalis.